
IT Band Syndrome



Disclaimer: This program provides exercises related to preventative maintenance OR to your condition that you can perform at home. As there is a risk of injury with any activity, use caution when performing exercises. If you experience any pain or discomfort, discontinue the exercises and contact your healthcare provider.



STEP 2



STEP 1





REPS: 10 | SETS: 3 | HOLD: 5 | DAILY: 1 | WEEKLY: 7

Setup

STEP 3

STEP 2

Begin lying on your back on a bed or flat surface with a small bolster or large towel under the thigh of your surgical leg.

Movement

Tighten the muscles in your thigh as you lift your foot and straighten your knee. Hold briefly, then slowly lower down to the starting position and repeat.

Тір

Make sure to keep the back of your leg resting on the bolster and do not rotate your leg to either side.



REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing upright position in front of a counter or stable surface for support with your surgical leg slightly bent and your toes resting on the ground.

Movement

Slowly bend your knee, lifting the foot of your surgical leg off the ground. Hold briefly, then return to the starting position and repeat.

Tip

Make sure to maintain an upright posture and keep your movements slow and controlled.



Standing Heel Raises

REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing upright position in front of a counter or stable surface for support.

Movement

At the same time, slowly raise both heels off the ground, then lower them down to the floor and repeat.

Тір

Make sure to maintain an upright posture and keep your weight on the balls of your feet when you lift your heels.

STEP 1

STEP 2





Sidelying Hip Abduction

REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin lying on your side with your top leg straight and your bottom leg bent.

Movement

Lift your top leg up toward the ceiling, then slowly lower it back down and repeat.

Тір

Make sure to keep your leg straight and do not let your hips roll backward or forward during the exercise.

Wall Squat

REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing upright position in front of a wall with your feet slightly wider than shoulder width apart.

Movement

Lean back into a squat against the wall with your knees bent to 90 degrees, and hold this position.

Тір

Make sure your knees are not bent forward past your toes and keep your back flat against the wall during the exercise.



Disclaimer: This program provides exercises related to preventative maintenance OR to your condition that you can perform at home. As there is a risk of injury
with any activity, use caution when performing exercises. If you experience any pain or discomfort, discontinue the exercises and contact your healthcare provider.


Weeks 3-4


STEP 1





STEP 1 STEP 2





Quadriceps Stretch with Chair

Seated Hamstring Stretch

REPS: 3 | SETS: 1 | HOLD: 30 | DAILY: 1 | WEEKLY: 7

REPS: 3 | SETS: 1 | HOLD: 30 | DAILY: 1 | WEEKLY: 7

Make sure to keep your back straight and maintain your balance during the stretch.

Begin in a standing upright position holding onto a stable surface for support.

Begin sitting upright with one leg straight forward and your heel resting on the ground.

Bend your trunk forward, hinging at your hips until you feel a stretch in the back of your leg. Hold

Make sure to keep your knee straight during the stretch and do not let your back arch or slump.

Bend one knee upward and grasp your foot, pulling it toward your body and pushing your hips

Gastroc Stretch on Wall

REPS: 3 | SETS: 1 | HOLD: 30 | DAILY: 1 | WEEKLY: 7

Setup

Setup

Setup

Movement

Movement

this position. Tip

Begin in a standing upright position in front of a wall.

Movement

Place your hands on the wall and extend one leg straight backward, bending your front leg, until you feel a stretch in the calf of your back leg and hold.

Тір

Make sure to keep your heels on the ground and back knee straight during the stretch.



ITB Stretch at Wall

REPS: 3 | SETS: 1 | HOLD: 30 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing upright position next to a wall. Cross your outside leg over the other and place your arm against the wall.

Movement

Gently push your hip toward the wall until you feel a stretch in the side of your leg and hold.

Tip

Make sure not to lean forward or backward.



Standing Heel Raises

REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing upright position in front of a counter or stable surface for support.

Movement


At the same time, slowly raise both heels off the ground, then lower them down to the floor and repeat.

Tip

Make sure to maintain an upright posture and keep your weight on the balls of your feet when you lift your heels.



Disclaimer: This program provides exercises related to preventative maintenance OR to your condition that you can perform at home. As there is a risk of injury
with any activity, use caution when performing exercises. If you experience any pain or discomfort, discontinue the exercises and contact your healthcare provider.



STEP 2

STEP 2

STEP 1

STEP 1

Standing Hip Flexion with Anchored Resistance REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing upright position balancing on one leg, with a resistance band secured around your other ankle, facing away from the anchor point.

Movement

Slowly draw your leg forward, creating further tension in the band, then carefully bring your leg back to the starting position.

Tip

Keep the knee of your moving leg straight and do not allow your trunk to wobble. Make sure to keep your shoulders and hips level and facing straight forward during the exercise.

Standing Hip Extension with Anchored Resistance REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing upright position balancing on one leg, with a resistance band secured around your other ankle, facing the anchor point.

Movement

Slowly draw your leg backward, creating further tension in the band, then carefully bring your leg back to the starting position. Keep the knee of your moving leg straight and do not allow your trunk to wobble.

Tip

Make sure to keep your shoulders and hips level and facing straight forward during the exercise.

Standing Hip Adduction with Anchored Resistance REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing upright position balancing on one leg, with a resistance band anchored in a door jam to your side and secured around your ankle that is closest to the anchor point. Movement

Slowly draw your leg inward, creating further tension in the band, then carefully bring your leg back to the starting position.

Tip

Keep the knee of your moving leg straight and do not allow your trunk to wobble. Make sure to keep your shoulders and hips level and facing straight forward during the exercise.



Standing Hip Abduction with Anchored Resistance REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing upright position balancing on one leg, with a resistance band anchored in a door jam to your side and secured around your ankle that is furthest from the anchor point. Movement


Slowly draw your leg out to the side, away from your body, creating further tension in the band, then carefully bring your leg back to the starting position.

Tip

Keep the knee of your moving leg straight and do not allow your trunk to wobble. Make sure to keep your shoulders and hips level and facing straight forward during the exercise.




Disclaimer: This program provides exercises related to preventative maintenance OR to your condition that you can perform at home. As there is a risk of injury with any activity, use caution when performing exercises. If you experience any pain or discomfort, discontinue the exercises and contact your healthcare provider.



Disclaimer: This program provides exercises related to preventative maintenance OR to your condition that you can perform at home. As there is a risk of injury with any activity, use caution when performing exercises. If you experience any pain or discomfort, discontinue the exercises and contact your healthcare provider.

Weeks 5-6



Standard Lunge

REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin standing upright with your hands resting on your hips and your feet shoulder width apart. **Movement**

Keeping your trunk upright, step forward and lower your body toward the ground into a lunge position, then carefully return to the starting position. Repeat with the other leg.

Тір

Make sure to keep your trunk steady. Do not let your front knee collapse inward or move forward past your toes as you lunge.

Reverse Lunge

REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin standing upright with your hands resting on your hips and your feet shoulder width apart. **Movement**

Keeping your trunk upright, step backward and lower your body toward the ground into a lunge position, then carefully return to the starting position. Repeat with the other leg.

Tip

Make sure to keep your trunk steady. Do not let your front knee collapse inward or move forward past your toes as you lunge.

Lateral Lunge

REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing upright position with your feet shoulder width apart and arms resting at your side.

Movement

Step to the side with one leg, lowering your body into a lunge position, then carefully return to the starting position.

Тір

Make sure not to let your knees collapse inward during the exercise.

Squat

REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin standing upright with your feet slightly wider than shoulder width apart.

Movement

Bending at your knees and hips, squat down until your knees are close to a 90 degree angle, then straighten your legs and repeat.

Tip

Make sure to keep your back straight and do not let your knees bend forward past your toes.

Runner's Step Up/Down

REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Setup

Begin in a standing position with one foot resting on a platform or step in front of your body.

Movement


Slowly step up, raising your knee to a 90 degree angle and moving your opposite arm at the same time. Then lower your foot to the ground and repeat.

Tip

Make sure not to let your trunk bend forward or your knee collapse inward as you lower your foot to the ground.




Disclaimer: This program provides exercises related to preventative maintenance OR to your condition that you can perform at home. As there is a risk of injury
with any activity, use caution when performing exercises. If you experience any pain or discomfort, discontinue the exercises and contact your healthcare provider.



🎊 MEDBRIDGE

Disclaimer: This program provides exercises related to preventative maintenance OR to your condition that you can perform at home. As there is a risk of injury with any activity, use caution when performing exercises. If you experience any pain or discomfort, discontinue the exercises and contact your healthcare provider.

Weeks 7-8



REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Begin standing with your feet hip width apart.

Reach one leg back and to the side at a 45 degree angle, keeping the weight on the base of your toes. Then, lower yourself down slowly. Drive through the front leg and return to the upright

Keep your movements slow and controlled and your front knee in line with the 2nd toe as you

Lateral Single Leg Lunge Jumps

REPS: 10 | SETS: 2 | HOLD: 5 | DAILY: 1 | WEEKLY: 7

Begin in a standing upright position.

Alternate taking small hops from one foot to the other, then continue increasing the distance of each hop until they are jumps, landing on each leg in a lunge position.

Make sure to keep your weight in your heels, focus on making your landings as soft as possible, and maintain control during the exercise. Do not let your knee move forward past your toe as you

Side Plank with Hip Drops

REPS: 3 | SETS: 1 | HOLD: 30 | DAILY: 1 | WEEKLY: 7

Begin lying on your side with your forearm resting flat on the floor and your feet stacked.

Lift your hips off the floor into a side plank position, hold briefly, then lower your hips back down

Make sure to keep your abdominals tight and check that your elbow is directly under your shoulder. Do not let your hips roll forward or backward during the exercise.

Bridge with Straight Leg Raise

REPS: 10 | SETS: 3 | DAILY: 1 | WEEKLY: 7

Begin lying on your back with both legs bent and your feet resting on the ground.

Tighten your abdominals and lift your hips off the ground into a bridge position. Straighten one leg with your thigh in line with your other leg, then lift your straight leg up several inches. Your body should be in a straight line.

Tip

Make sure your movements are slow and controlled. Do not let your hips drop as you lift your leg.



Disclaimer: This program provides exercises related to preventative maintenance OR to your condition that you can perform at home. As there is a risk of injury with any activity, use caution when performing exercises. If you experience any pain or discomfort, discontinue the exercises and contact your healthcare provider.