

UPSWING HEALTH


Ankle Impingement (Anterior)

Towel Calf Stretching

Place your involved leg straight out in front of you. Place a towel at the ball of your foot and pull the ends toward you until you feel a stretch in your calf. (Do not hyperextend your knee when you stretch.)

Slightly bend the knee of your involved leg before you place the towel at the ball of your foot. Pull the ends toward you until you feel a stretch in your lower leg.

Hold the stretches 30 seconds each, repeat 3 times, 2-3 times a day.



Discontinue exercises and consult with a medical professional if any discomfort is experienced.

UPSWING HEALTH

Standing Calf Stretching

Gastrocnemius - Begin by facing a wall. Keep your back leg straight, with your heel on the floor and your toes turned slightly inward. Lean into the wall until a stretch is felt in your calf. (Keep your back straight as you stretch.)

Soleus - Begin by facing a wall. Bend the knee of your back leg, with your heel on the floor and your toes turned slightly inward. Lean into the wall, keeping your knee bent, until you feel a stretch in your lower leg.

Hold the stretches 30 seconds each, repeat 3 times, 2-3 times a day.



UPSWING HEALTH

Quarter Wall Squats

Leaning on wall, slowly lower buttocks toward floor until your knees are slightly bent. Your knees should remain over your ankles, not in front of your toes. Tighten thigh muscle as you return to starting position. Perform 2-3 sets of 10 repetitions, once a day.



Anterior Reaches

While standing on the involved leg, glide the opposite leg forward to a pain-free distance by bending the involved knee. Return to the starting position without touching the foot down. Perform 2-3 sets of 10 repetitions, once a day.



UPSWING HEALTH

Posterior Reaches

While standing on the involved leg, glide the opposite leg backwards to a pain-free distance by bending the involved knee. Return to the starting position without touching the foot down. Perform 2-3 sets of 10 repetitions, once a day.

